

QUALITY THAT YOU CAN TRUST

Product Catalogue 2026



1050L - LNGCFH1000

- Dimension: 220 × 92 × 94 cm
- All-side cooling for even temperature distribution
- Heavy-duty compressor for fast freezing
- Temperature range: +8°C to -25°C
- 5 cm thick foaming insulation layer
- 2 hard-top doors with 1 inner baskets
- Embossed aluminum inner panel
- Durable steel tube body construction
- 4 strong castor wheels for easy mobility
- Net weight: 108 kg
- Warranty: 1 year full unit, 4 years on compressor



600L - LNGCFH600

- Dimension: 150 × 78 × 94 cm
- All-side cooling for even temperature distribution
- Heavy-duty compressor for fast freezing
- Temperature range: +8°C to -25°C
- 5 cm thick foaming insulation layer
- 2 hard-top doors with 1 inner baskets
- Embossed aluminum inner panel
- Durable steel tube body construction
- 4 strong castor wheels for easy mobility
- Net weight: 75 kg
- Warranty: 1 year full unit, 4 years on compressor



450L - LNGCFH450

- Dimension: 120 × 78 × 94 cm
- All-side cooling for even temperature distribution
- Heavy-duty compressor for fast freezing
- Temperature range: +8°C to -25°C
- 5 cm thick foaming insulation layer
- 2 hard-top doors with 1 inner baskets
- Embossed aluminum inner panel
- Durable steel tube body construction
- 4 strong castor wheels for easy mobility
- Net weight: 64 kg
- Warranty: 1 year full unit, 4 years on compressor



370L - LNGCFH370

- Dimensions (W×D×H): 113 × 72 × 85 cm
- Net Weight: 41 kg
- Temperature Range: +6°C to -22°C
- Manual Thermostat Control
- Heavy-duty compressor for efficient freezing
- All-side cooling system
- 9.5 cm thick high-density foaming insulation
- 1 solid hard-top door
- 1 inner storage basket
- Warranty: 4 years on compressor, 1 year full unit



UNDER COUNTER CHILLER

275L - LNGUC120

- Temperature Range: 2°C to 8°C
- Cooling Type: Direct cooling
- Control System: Digital temperature controller
- Power Consumption: 160 Watt
- Insulation: 5 cm thick foaming layer
- Refrigeration Pipe: Copper tube
- Shelf Type: Dip plastic shelf
- Weight: 49 kg
- Dimensions: 120 × 60 × 80 cm
- Warranty: 1 year comprehensive warranty



375L - LNGCUC150

- Temperature Range: 2°C to 8°C
- Cooling Type: Direct cooling
- Control System: Digital temperature controller
- Power Consumption: 160 Watt
- Insulation: 5 cm thick foaming layer
- Refrigeration Pipe: Copper tube
- Shelf Type: Dip plastic shelf
- Weight: 53 kg
- Dimensions: 150 × 60 × 80 cm
- Warranty: 1 year comprehensive warranty



1500L - LNGSC1500



- 1500-litre large capacity – ideal for commercial cooling needs
- Bottom-mounted Spanish compressor “Cubigel 100” for efficient performance
- Fast cooling with wide temperature range: 0°C to 10°C
- Toughened double-layer glass door for safety and insulation
- Strong white alloy door and durable white body design
- Automatic water evaporation system – no manual drainage
- Bright LED interior lighting enhances product visibility
- Comes with 5 adjustable shelves for organized display
- High-density insulation for energy-saving and stable cooling
- Heavy-duty wheels for easy mobility
- Power consumption: 480W
- Refrigerant: Eco-friendly R290
- Dimensions: 180 × 60 × 201 cm (L × W × H)
- Weight: 125kg
- Warranty: 4 years on compressor, 1 year full product

1000L - LNGSC1000



- 1000-litre large capacity – ideal for commercial cooling needs
- Bottom-mounted Spanish compressor “Cubigel 80” for efficient performance
- Fast cooling with wide temperature range: 0°C to 10°C
- Toughened double-layer glass door for safety and insulation
- Strong white alloy door and durable white body design
- Automatic water evaporation system – no manual drainage
- Bright LED interior lighting enhances product visibility
- Comes with 5 adjustable shelves for organized display
- High-density insulation for energy-saving and stable cooling
- Heavy-duty wheels for easy mobility
- Power consumption: 400W
- Refrigerant: Eco-friendly R290
- Dimensions: 120 × 60 × 201 cm (L × W × H)
- Weight: 92 kg
- Warranty: 4 years on compressor, 1 year full product



900L - LNGSC900

- Doors: Double-layer toughened glass with defog function
- Lighting: Adjustable 3-color LED (White / Purple / Yellow)
- Cooling: Air cooling, 0°C to 10°C, R290 refrigerant
- Control: Digital touch screen temperature controller
- Insulation: 5 cm high-density foam for efficiency
- Compressor: Bottom-mounted with protective cover
- Shelves: 5 adjustable shelves for organized storage
- Mobility: Casters with brakes for easy movement
- Power: 220-240V / 50Hz, UK plug
- Protection: Bottom foam protector for durability
- Warranty: 4 years compressor, 1 year full coverage

700L - LNGSC700

- Toughened double glass door with alloy frame
- Fast air cooling with 2 fans
- Bright LED light, 5 adjustable shelves
- Automatic water evaporation system
- High-density insulation for energy efficiency
- Wheels and castors for easy mobility
- Power: 330W | Size: 100×58×202 cm | Weight: 96 kg
- Warranty: 1 year full, 4 years compressor



400L - LNGSC400

- Bottom-Mounted Compressor
- Equipped with premium Spanish Brand Cubigel Compressor.
- Rat-Proof Net Cover
- Air Cooling System for fast and uniform cooling.
- Double-Layer Toughened Glass Doors with durable alloy frame.
- 5 Adjustable Heavy-Duty Shelves
- High-Precision Temperature Sensors .
- Digital Temperature Controller
- Automatic Water Evaporation System , Power Consumption: 290W
- Temperature Range: 0°C to 10°C
- Warranty: 1 Year Comprehensive Warranty + 4 Years Compressor Warranty



310L - LNGCFG310

- Unit Dimensions (L×W×H): 1000×570×780mm
- Package Size (L×W×H): 1050×630×830mm
- Net Weight: 42kg
- Gross Weight: 45kg
- Power Consumption: 180W
- Compressor Brand: Wanbao
- Temperature Range: 0°C to -24°C
- Body Type: Glass top chest freezer



600L - LNIF600

- Temperature: -18°C
- Cooling System: Direct Cooling
- Color: Gray
- Sliding Glass Doors
- LED Interior Lighting
- Digital Temperature Controller
- Caster Wheels for Mobility
- Dimensions: 150 × 76 × 85 cm
- Warranty: 1 Year Full + 4 Years Compressor



850L - LNIF950

- Temperature: -18°C
- Cooling System: Direct Cooling
- Color: Gray
- Sliding Glass Doors
- LED Interior Lighting
- Digital Temperature Controller
- Caster Wheels for Mobility
- Dimensions: 200 × 76 × 85 cm
- Warranty: 1 Year Full + 4 Years Compressor





65L - DECK ELECTRIC OVEN

- Economical commercial electric oven for professional use
- 1 deck, 1 tray design
- Stainless steel silver body
- Temperature range: 0°C to 300°C
- Inner chamber size: 61 × 44 × 16 cm
- Power consumption: 3200 W
- Power supply: 3.5 kW / 220V
- Compact size, suitable for small kitchens & bakeries
- Ideal for baking, reheating & commercial food preparation
- 1-year product warranty

1000L - LNGSCCF1000

- Power: 220V / 50Hz, 370W
- Temperature Range: Chiller: 2°C to 8°C Freezer: -15°C to 0°C
- Design: Top: 2 doors, 2 adjustable shelves
- Bottom: Solid SS door, 1 adjustable shelf
- Control: Digital temperature control panel
- Build: Full stainless steel body, auto-rebound doors
- Mobility: Casters with brake
- Dimensions: 120 × 70 × 198 cm
- Weight: 110 kg
- Warranty: 1 year (compressor & full unit)



500L - LNGCDS120

- Temperature Range: 2°C to 10°C
- Cooling System: Air Cooling (Ventilated)
- Color: Black
- 3 Adjustable Display Shelves
- Double Tempered Glass for Clear Visibility
- Electric Heating Defogging System (Anti-Fog Glass)
- Copper Condenser & Copper Evaporator for Efficient Cooling
- Eco-Friendly R290 Refrigerant Gas
- Digital Thermostat for Precise Temperature Control
- White LED Interior Lighting for Better Product Display
- Stainless Steel Base for Durability and Hygiene
- Caster Wheels for Easy Movement
- Dimensions: 120 × 66 × 120 cm
- Warranty: 1 Year Full Warranty

